



TABLE OF CONTENTS Sw

| REKKER SERIES | |
|-------------------------------|---|
| EK60 STICK TECHNOLOGIES | 4 |
| REKKER STICKS | (|
| TRUE TOUCH SERIES | { |
| T120 STICK TECHNOLOGIES | 1(|
| TRUE TOUCH STICKS | 13 |
| WOOD STICKS | 1! |
| WOOD STICKS & BLADES | 16 |
| ABS STICKS | 1 |
| SHER-WOOD HOF SERIES | 18 |
| PLAYRITE PROGRAM | 20 |
| PATTERN CHART | 22 |
| LINE OVERVIEW | 23 |
| T120 GOAL STICK TECHNOLOGIES | 24 |
| GS350 GOAL STICK TECHNOLOGIES | 26 |
| GS350 BOOKING PROGRAM | 29 |
| BPM SERIES | 3: |
| BPM 120 GLOVE TECHNOLOGIES | 32 |
| BPM GLOVES | 33 |
| BPM BOOKING PROGRAM | 35 |
| EK40 PANT & TECHNOLOGIES | 30 |
| TRUE TOUCH PROTECTIVE | 38 |
| VINTAGE PROTECTIVE | 4(|
| SIZING CHART | 4: |
| CUSTOM BAG PROGRAM | 42 |
| BAGS | 43 |
| NHL BAGS | 4! |
| | REKKER STICKS TRUE TOUCH SERIES T120 STICK TECHNOLOGIES TRUE TOUCH STICKS WOOD STICKS WOOD STICKS WOOD STICKS WOOD STICKS & BLADES ABS STICKS SHER-WOOD HOF SERIES PLAYRITE PROGRAM PATTERN CHART LINE OVERVIEW T120 GOAL STICK TECHNOLOGIES GS350 GOAL STICK TECHNOLOGIES GS350 BOOKING PROGRAM BPM SERIES BPM 120 GLOVE TECHNOLOGIES BPM BOOKING PROGRAM EK40 PANT & TECHNOLOGIES TRUE TOUCH PROTECTIVE VINTAGE PROTECTIVE SIZING CHART CUSTOM BAG PROGRAM BAGS |





REKKER

REKKER gives you the advantage. In the most critical moments of the game, you have the edge, because your gear is streamlined for ultimate performance. You get innovative tech and unbeatable quality that stands up to real life action.

All heart, no gimmicks. Hockey is your life. You rock the ice, and REKKER products help you look good doing it.

ACCEPT NO BOUNDARIES!



RESPONSIVI



FEATHERLITE



RELIABLE











RESPONSIVE FEATHERLITE

RELIABLE

VRF.2

VRF.2: MOST RESPONSIVE AND VIBRATION FREE BLADE IN THE INDUSTRY

EKORE TECHNOLOGY

HANDMADE MANUFACTURING PROCESS REQUIRING EXTREME PRECISION AND ATTENTION TO DETAIL RESULTING IN INCREDIBLE LIGHTNESS

FFZ

CUT YOUR STICK IN THE TOP 4" OF THE SHAFT WITHOUT AFFECTING YOUR FLEX

LOWKICK FLEX PROFILE -

GET THE SHOT OFF FASTER AND MAXIMIZE THE LOADING PROCESS FOR A OUICK RELEASE



RERREREKGO

SHERWOOD

STRONGER THAN STEEL, GRAPHENE IS **INFUSED IN THE KEY BREAKAGE AREAS** AND HELPS REDISTRIBUTE THE WEIGHT FOR IMPROVED RESPONSIVENESS

24 " REINFORCED ZONE

SHER-WOOD

EK60







STOCK

| | | | | | | | <u>. AY</u> | | | |
|----|----|----|----|----|----|----|-------------|----|----|------|
| | | | | | | • | 9 | 0 | 0 | |
| | S | R | | 11 | ١T | J | R | | | |
| 95 | 85 | 75 | 65 | 65 | 55 | 45 | 35 | 25 | 20 | |
| • | • | • | • | • | • | • | • | | | PP26 |
| • | • | • | • | • | • | • | • | | | PP28 |
| | | • | | • | | • | | • | • | PP88 |

= GRIP FINISH

= NA

MADE TO ORDER

| - | | S | R | | |
|---|----|----|----|----|------|
| | 95 | 85 | 75 | 65 | |
| - | • | • | • | • | PP92 |
| | • | • | • | • | PP05 |
| | | | | | PP77 |
| | | • | • | • | PP12 |

= GRIP FINISH

= NA

SPECS

WEIGHT

385G (SENIOR)

LENGTH SENIOR G

SENIOR: 60" INTERMEDIATE: 57" JUNIOR: 52", 48" YOUTH: 44", 40"

TECHS

TECHNOLOGIES

1. FFZ 2. SPEAR SHAFT 3. VRF2 4. GRAPHENE

FEATURES

A. PRO SHAFT B. LOWKICK C. REFINED BLADE PROFILE



















SPECS





WEIGHT

430 G (SENIOR)

LENGTH

SENIOR: 60" INTERMEDIATE: 57" JUNIOR: 52", 48"

TECHS

TECHNOLOGIES

1. FFZ 2. SPEAR SHAFT 3. VRF2

FEATURES

A. PRO SHAFT B. LOWKICK
C. REFINED BLADE PROFILE

PLAYRITE

| SR | | | NT | | _ : | |
|------|------|-------|---------|----|-----|----------------------|
| | | I | NT | J | K | |
| 85 7 | 5 65 | 65 | 55 | 45 | 35 | |
| • | | • | • | • | • | PP26 |
| • | | | | • | • | PP28 |
| • | | | | • | • | PP88 |
| | • (| • • • | • • • • | | | 85 75 65 65 55 45 35 |

= GRIP FINISH
= NA

EK40









WEIGHT

460G (SENIOR)

LENGTH

SENIOR: 60" INTERMEDIATE: 57"

TECHS

TECHNOLOGIES

1. FFZ 2. SPEAR SHAFT 3. VRF2

FEATURES

A. PRO SHAFT B. LOWKICK
C. REFINED BLADE ROFILE

STOCK

| | S | R | II. | | | |
|----|----|----|-----|----|----|------|
| 95 | 85 | 75 | 65 | 65 | 55 | |
| • | • | • | • | • | • | PP26 |
| • | • | | | | | PP28 |
| | | | | | | PP88 |

MADE IU UKDEK

| | S | R | | |
|----|----|--------|----|------|
| 95 | 85 | 75 | 65 | |
| • | • | • | • | PP92 |
| • | • | | • | PPO5 |
| | | | • | PP77 |
| | | | | PP12 |
| | | IP FIN | | |

= GRIP FINISH

= NA

EK20







SPECS

WEIGHT

510G (SENIOR)

LENGTH

SENIOR: 60" JUNIOR: 52", 48" YOUTH: 44", 40"

TECHS

TECHNOLOGIES

1. FFZ 2. SPEAR SHAFT

FEATURES

A. PRO SHAFT B. LOWKICK C. REFINED BLADE PROFILE

PLAYRITE © Ø 0 0

| | SR | | J | R | Ϋ́ | ſΗ | |
|----|----|----|----|----|----|----|------|
| 95 | 85 | 75 | 45 | 35 | 25 | 20 | |
| • | • | • | • | • | | | PP26 |
| • | | • | | | | | PP77 |
| | | | | | 0 | 0 | PP88 |
| | | | | | | | |

= GRIP FINISH

O = NO GRIP

= NA





PERFORMANCE DURABILITY POWER

MID-KICK PROFILE -

GENERATE MAXIMUM POWER WHILE UNLOADING HEAVY SHOTS

T120

VRF.2

VRF.2: MOST RESPONSIVE AND VIBRATION FREE BLADE IN THE INDUSTRY

T-SHAFT

SQUARE SHAFT WITH CONCAVE WALLS FOR IMPROVED GRIP

EKORE TECHNOLOGY

HANDMADE MANUFACTURING PROCESS REQUIRING EXTREME PRECISION AND ATTENTION TO DETAIL RESULTING IN INCREDIBLE LIGHTNESS

FFZ

SHEP-WOOD

CUT YOUR STICK IN THE TOP 4" OF THE SHAFT WITHOUT AFFECTINGYOUR FLEX

TRUE TOUCH T120

PERFORMANCE DURABILITY POWER

| 64 | ! " | S | R | | INT | JR | |
|-----|------------|----|----|----|-----|----|------|
| 105 | 95 | 95 | 85 | 75 | 65 | 45 | |
| • | • | | • | • | • | • | PP26 |
| | | • | • | | | | PP92 |
| | | | | | | | PP14 |
| | | | | | | | PP88 |
| | | • | • | • | | | PP96 |
| | | • | • | • | | | PP77 |
| | | • | • | • | | | PP05 |

= GRIP OR NON GRIP = GRIP FINISH

SPECS

WEIGHT

395 G (SENIOR)

LENGTH

SENIOR: 60"/64" INTERMEDIATE: 57" JUNIOR: 52"

TECHS

TECHNOLOGIES

1. FFZ 2. EKORE 3. SPEAR SHAFT 4. VRF2

FEATURES

A. T-SHAFT B. MIDKICK C. WIDER HOSEL











TRUE TOUCH

T100 2ND GEN

PERFORMANCE DURABILITY POWER

SPECS

WEIGHT

430G (SENIOR)

LENGTH

SENIOR: 60"/64" INTERMEDIATE: 57" JUNIOR: 52"

TECHNOLOGIES

1. FFZ 2. SPEAR SHAFT 3. VRF2

FEATURES

A. T-SHAFT B. MIDKICK C. WIDER HOSEL

| | JR | INT | | R | S | | !" | 64 |
|------|----|-----|----|----|----|-----|----|-----|
| | 45 | 65 | 75 | 85 | 95 | 105 | 95 | 105 |
| PP26 | • | • | | | | • | • | • |
| PP14 | • | • | | | | | | |
| PP88 | | | | | | | | |
| PP77 | | | • | • | | | | |
| PP05 | | | | | | | | |

= GRIP OR NON GRIP = GRIP FINISH

TRUE TOUCH

2ND GEN

PERFORMANCE DURABILITY **POWER**

SPECS

WEIGHT

450G (SENIOR)

LENGTH

SENIOR: 60"/64" INTERMEDIATE: 57"

TECHS

TECHNOLOGIES


1. FFZ 2. SPEAR SHAFT 3. VRF2


FEATURES

A. T-SHAFT B. MIDKICK C. WIDER HOSEL


| 64 | ! '' | | S | R | | INT | |
|-----|-------------|-----|----|----|----|-----|------------|
| 105 | 95 | 105 | 95 | 85 | 75 | 65 | |
| • | • | • | | | | • | PP26 |
| | | | | | | | PP26 (UND) |
| | | 0 | | • | | | PP92 |
| • | | | | • | • | • | PP14 |
| • | | • | | • | • | | PP88 |
| 0 | | 0 | | • | | | PP96 |
| • | | 0 | | | • | | PP77 |
| • | | | | • | | | PP05 |
| | | | | • | • | | PP09 |
| | | | | • | • | | PP20 |
| | | | | • | • | | PP12 |


= GRIP OR NO GRIP = GRIP FINISH


















BLADES







ABS







P.18 SHER-WOOD P.19



PROVEN PERFORMANCE CLASSIC STYLE GENUINE EXCELLENCE


SHER-WOOD HOF CELEBRATES
LONG-LASTING QUALITY AND TIMELESS
STYLE. IN THIS SERIES ARE THE FAVORITE
PRODUCTS OF SHER-WOOD ENTHUSIASTS
THROUGHOUT THE DECADES.


OTHER SHER-WOOD HOF PRODUCTS

HERITAGE CARRY BAG P.43



YOU CAN'T BEAT PERFECTION!





P.20 SHER-WOOD SHER-WOOD P.21

Youth and junior players are the core of our game, and their numbers grow at an exponential rate. Teenagers and adults enjoy a seamless transition from intermediate to senior models (with various flex options and height increases). But what about the junior and youth markets? They don't have the same consistency. Flexes and stick height differences change too dramatically with each size.

The Playrite system is tailored to the unique needs of a child. The sizes and flex levels fit the players as they grow and enables them improve their shot. To help parents find the right product guickly, all Playrite sticks have a unique number plus a color coding system.

PLAYRITE ©

52IN - 45 FLEX - JR

PLAYRITE @

48IN - 35 FLEX - JR

PLAYRITE 1

44IN - 25 FLEX - YTH

PLAYRITE 0

40IN - 20 FLEX - YTH



<u>PATTERNS</u>











/// PATTERN CHART ///













| SHER-WOOD | BAUER | EASTON | CCM | WARRIOR |
|---------------|-----------------------|------------------------|-----------------------------|--------------------------|
| PP26 STASTNY | PP92 (OVECHKIN) | E3 (SAKIC/HALL) | P29 (CROSBY/NUGENT-HOPKINS) | W03 (HENRIQUE/BACKSTROM) |
| PP92 TROUBA | PP92 (OVECHKIN L 5.0) | E3 L5.0(SAKIC/HALL) | | |
| PP88 RYAN II | PP88 (KANE) | E36 | P40 (HOSSA/MACKINNON) | W88 (ZETTERBERG) |
| PPO9 RYAN | P106 (RICHARDS) | | P6 (PHANEUF) | W12 (PAVELSKI) |
| PP14 PLEKANEC | P14 (T0EWS) | | | W14 (CHARA) |
| PP96 BOUCHARD | PM9 (STAMKOS) | E4 (MODANO/CAMMALLERI) | P14 (DUCHENE) | W01 (LUPUL) |
| PP28 | P28 (GIROUX) | E28 | P28 (MCDAVID) | W28 (YAKUPOV) |
| PPO5 LI | PO2 (KRONWALL) | E5 (LIDSTROM/GETLZAF) | | W02 (LIDSTROM) |
| PP12 IG | | E7 (IGINLA) | P45 (TAVARES) | W08 (KOVALCHUK) |
| PP77 CO | | E8 (YZERMAN/GABORIK) | P46 (LANDESKOG/BERGERON) | W71 (PACIORETTY) |
| PP20 DR | P91A (STAAL) | E6 (DRURY/PARISE) | P15 (GALCHENYUK/JONES) | W05 (GRANLUND) |

LINE-UP REVIEW

| | | WEIGHT | LENGTH | FLEX | PP26 | PP92 | PP88 | PP09 | PP14 | PP96 | PP12 | PP77 | PP20 | PP05 | PP10 | PP28 | STR.BLD. |
|------------|---------------------|---------|------------|----------------|------|------|------|------|------|----------|------|------|------|------|------|------|----------|
| | T120 64" | - | 64″ | 105, 95 | • | | | | • | | 0 | | 0 | | | | |
| | T120 SR | 395 G | 60″ | 95, 85, 75 | • | • | • | | • | • | 0 | • | 0 | • | 0 | 0 | |
| | T120 INT | - | 57″ | 65 | • | | | | • | | | | | | | | |
| | T120 JR | - | 52″ | 45 | | | | | • | | 0 | | 0 | | | | |
| | T100 64 | - | 64″ | 105, 95 | • | | • | | | | | | | | | | |
| | T100 SR | - | 60″ | 105 | • | | | | | | • | | | | | | |
| | T100 SR | 430 G | 60″ | 95, 85, 75 | • | | • | | • | | 0 | • | | • | | | |
| | T100 INT | - | 57″ | 65 | • | 0 | 0 | 0 | • | • | 0 | 0 | 0 | 0 | 0 | • | |
| | T100 JR | - | 52″ | 45 | | | | | • | | | | | | | | |
| 7 | T90 64 | - | 64″ | 105, 95 | • | 0 | • | 0 | • | 0 | 0 | • | 0 | • | 0 | 0 | |
| TRUE TOUCH | T90 SR | | 60″ | 105 | • | 0 | • | | | 0 | 0 | | 0 | | | | |
| 2 | T90 SR | 450 G | 60″ | 95, 85, 75 | • | • | • | • | • | • | • | • | • | • | 0 | 0 | |
| | T90 INT | - | 57″ | 65 | • | | | 0 | • | 0 | | | | | • | • | |
| 2 | T90 UND SR | 450 G | 60″ | 95, 85, 75 | • | | | 0 | | • | | | | | | • | |
| | T87 SR | 485 G | 60″ | 95,85,75 | • | 0 | • | 0 | 0 | | 0 | • | 0 | 0 | 0 | 0 | |
| | T87 INT | - | 57″ | 65 | • | 0 | • | 0 | 0 | 0 | 0 | | 0 | | 0 | 0 | |
| | T87 JR | - | 52″, 48″ | 45,35 | • | | • | 0 | 0 | 0 | 0 | | 0 | 0 | 0 | 0 | |
| | T87 YTH | - | 40", 44" | 25, 20 | | | • | | | | | 0 | | | | | |
| | T30 SR | 580 G | 58″ 55″ | 85 | • | | • | | | | | • | | | | | |
| | T30 INT | - | | 65 | • | | | | | | | | | | | | |
| | T30 JR | - | 52″ 44″ | 45 30 | • | | | | | | | • | | | | | |
| | T30 YTH | - | | | • | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | |
| | EKGO SR | 385 G | 60″ | 95, 85, 75, 65 | • | | • | | | | | | | | | • | |
| | EKGO INT | - | 57″ | 65, 55 | | | • | | | | | | | | | • | |
| | EK60 JR EK60 YTH | - | 52″, 48″ | 45, 35 | • | | | | | | | | | | | • | ļ |
| | | - | 44", 40" | 25, 20 | | | | | | | | | | | | | |
| | EK50 SR EK50 INT | 430 G | 60″ | 95, 85, 75, 65 | • | | | | | - | - | | | | | • | - |
| Æ | EK50 INT | - | 57″ 57″ | 65 | | | | | | | | | | | | | - |
| REKKER | EK50 JR | - | 52″, 48″ | 55 45, 35 | | | | | | | | | | | | | |
| R | EK40 SR | 460 G | 60" | 95, 85, 75, 65 | | | | | | | | | | | | | |
| | EK40 INT | - TOU U | 57″ | 65 | | | | | | <u> </u> | | | | | | | - |
| | EK40 INT | - | 57″ | 55 | | | | | | | | | | | | • | · |
| | EK20 SR | 510 G | 60″ | 95, 85, 75 | | | | | | | | | | | | | |
| | EK20 JR | - | 52″, 48″ | 45, 35 | | | | | | | | | | | | | |
| | EK20 YTH | = | 44", 40" | 25, 20 | | | • | | | | | | | | | | |
| | HOF 5030 SR | _ | 59" | 85 | • | | • | | | | | • | | | | | |
| HÖF | HOF 5030 INT | - | 56″ | 70 | | | | | | <u> </u> | | | | | | | · |
| | HOF 5030 JR | - | 51,5″ | 55 | | | | | | 1 | | • | | | | | |
| | 9950 SR | _ | 63″ | 105 | • | | | 0 | | 0 | | | | | | | |
| | 7000 SR | - | 59″ | 90 | | | | • | | | | • | | | | | |
| WOOD/BOIS | 5000 SR | - | 58″ | - | | | | • | | Ó | | | | | | | |
| <u>e</u> | 5000 INT | - | 52″ | - | | | | • | | | | | | | | | |
| 8 | 5000 JR | - | 42″ | - | | | | • | | | 0 | | 0 | | | | |
| 8 | T10 SR | - | 60″ | - | • | | | 0 | 0 | 0 | 0 | 0 | 0 | | | 0 | |
| | T10 JR | - | 52″ | - | • | | | | | | | | | | | | |
| | T10 YTH | - | 45″ | - | | 0 | 0 | | | | 0 | | | | 0 | | |
| | T35 ABS SR | - | 60″ | 90 | • | 0 | 0 | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | |
| | T35 ABS JR | - | 52″ | 45 | • | 0 | | | | | 0 | | 0 | | | | 0 |
| | T25 ABS SR | - | 57″ | - | • | 0 | 0 | 0 | 0 | | 0 | • | 0 | 0 | 0 | 0 | |
| ABS | T25 ABS JR | - | 52″ | - | • | | | 0 | 0 | | | 0 | | | 0 | 0 | 0 |
| A | T20 ABS SR | - | 57″ | _ | • | | | | | | | • | | | | 0 | |
| | T20 ABS JR | - | 52″ | - | • | 0 | 0 | | 0 | | 0 | 0 | 0 | 0 | 0 | 0 | |
| | T20 ABS YTH | - | 42″ | - | | | | | | 0 | | 0 | | | | | |
| | | WEIGHT | LENGTH | FLEX | PP26 | PP92 | PP88 | PP09 | PP14 | PP96 | PP12 | PP77 | PP20 | PP05 | PP10 | PP28 | STR.BLD. |

TRUE TOUCH COMPOSITE STICK



T120

SPECS

WEIGHT

670 G (SENIOR)

TECHS

TECHNOLOGIES

1. VRF+ 2. AVH 3. EKORE

LENGTHS & PATTERNS

27 26 25 L R L R PP41

• • • • • • PP30

= AVAILABLE

= NA

TRUE TOUCH

T80

SPECS

WEIGHT

790G (SENIOR)

TECHS

TECHNOLOGIES

VRF-


LENGTHS & PATTERNS

= AVAILABLE

= NA

SHEP-WOOL





350

SPECS

WEIGHT 820 G (SENIOR)

TECHS

TECHNOLOGIES

CSF BLADE
 FOAMCORE

LENGTHS & PATTERNS

= AVAILABLE

= NA

SHER-WOOL

G5350

SPECS

WEIGHT 875 G (SENIOR)

TECHS

TECHNOLOGIES

1. FOAMCORE

LENGTHS & PATTERNS

| | 25 | 2 | 26 | | 27 | | |
|------|----|---|----|---|----|---|--|
| | R | L | R | L | R | L | |
| PP41 | • | | • | | • | • | |
| PP33 | | | | | | | |

= AVAILABLE

= NA

PMP

530

LENGTHS & PATTERNS

| 27 | 26 | | 23 | 21 | 18 | |
|----|----|---|----|----|----|----------------|
| L | L | R | L | L | - | |
| | | • | • | | | PP30 |
| 0 | | | | | | STRAIGHT BLADE |

= AVAILABLE

= NA

GS150

BOOKING PROGRAM

The Sher-Wood GS350 Limited Edition collection offers a total of 12 new color schemes in three distinctive series to help match any goalie's taste. Offered in LH/PP41 and 24", 25", 26" and 27" pattern height, the program features Sher-Wood's most popular model, the GS350. With four order and delivery dates throughout the year, this program allows you to place multiple smaller orders as opposed to a large booking order to turn your inventory quicker and better manage your cash-flow.

BOOKING PERIOD

1) Order by: February 1ST, 2016 Receive by: May 1ST, 2016

2) Order by: April 1ST, 2016 Receive by: July 1ST, 2016 3) Order by: May 15TH, 2016 Receive by: August 15TH, 2016 4) Order by: August 15TH, 2016 Receive by: October 15TH, 2016











The BPM Series embraces hockey in its purest form, celebrating the proven blend of power and skill. Go back to the roots of what makes a hockey player into a champion: real heart, team spirit and the tough, time-tested gear that makes the right play possible.

BALANCE / POWER / MOBILITY



Clarino. PROTECH PALM

CLARINO MICROFIBER NYLON PALM WITH OVERLAYS AT THUMB AND STICK BUTT END FOR PRO PERFORMANCE AND FEEL WITH OUTSTANDING DURABILITY



FOUR LAYERS OF PROTECTION TO HELP REBOUND, ABSORB, DISPERSE AND DEFLECT ANY TYPE OF IMPACT





NATURAL GRIPLINE

12º ANGLE AT THE KNUCKLES TO FOLLOW THE NATURAL CLOSING OF THE HAND AND PROVIDE THE BEST FITTING 4-ROLL GLOVE YET

NEW +SIZING SYSTEM

THE NEW +SIZING SYSTEM HAS BEEN DESIGNED FOR ENHANCED PERFORMANCE AND COMFORT. "+" SIZES GIVE YOU AN EXTRA 0.25" OF FINGER LENGTH WHILE PROVIDING THE SAME VOLUME FIT AS REGULAR SIZES TO TRULY FIT THE NATURAL BUILD OF THE HAND





SIZES

SPECS

SR GLOVE: FIT CONSTRUCTION Traditionnal 4-roll fit.

THUMB

ALT SYSTEM 2-piece thumb.

CableKnit nylon, PolyKnit Nylon and PU synthetic leather.

Clarino microfiber nylon palm base and overlays. FINGERS AND TOP OF HAND

RADD3 Protection foam package.

New 3D molded shot blocker.

INSIDE LINER

Microfiber antibacterial liner.

CUFF AND CUFF ROLL

Flared cuff design with high density foam and polyethylene inserts.

SHOTBLTCKER





SIZES SPECS

SR GLOVE: FIT CONSTRUCTION Traditionnal 4-roll fit. 14", 14"+

13". 13"+

THUMB INT GLOVE:

ALT SYSTEM 2-piece thumb.

CableKnit nylon, PolyKnit Nylon and PU synthetic leather.

Clarino microfiber nylon palm base and overlays.

FINGERS AND TOP OF HAND RADD3 Protection foam package.

INSIDE LINER

Microfiber antibacterial liner.

CUFF AND CUFF ROLL

Flared cuff design with high density foam and polyethylene inserts.



/// BPM GLOVES ///

090



SIZES

SR GLOVE: 14", 14"+ INT GLOVE:

SPECS

Traditionnal 4-roll fit.

THUMB

13", 13"+

JR GLOVE: 11", 12"

FIT CONSTRUCTION

ALT SYSTEM 2-piece thumb.

MATERIAL

CableKnit nylon.

Parity nylon palm base and overlay.

FINGERS AND TOP OF HAND

EVA foam and plastic inserts.

INSIDE LINER

Microfiber antibacterial liner.

CUFF AND CUFF ROLL

Flared cuff design with high density foam.





SPECS

SIZES SR GLOVE:

14" INT GLOVE:

JR GLOVE: 11", 12" YTH GLOVE:

9", 10"

FIT CONSTRUCTION Traditionnal 4-roll fit.

THUMB/POUCE

One piece construction.

MATERIAL/MATÉRIEL

Polyester.

PALM/PAUME

FINGERS AND TOP OF HAND/DOIGTS ET MAIN

EVA foam and plastic inserts.

INSIDE LINER/DOUBLURE INTÉRIEURE Microfiber antibacterial liner.

CUFF AND CUFF ROLL/POIGNET

Segmented cuff design with single density foam.

BOOKING PROGRAM

The Sher-Wood Made to Order Booking Program was created to offer a large variety of colors in several different products to cater to the unique demands of teams and to find a suitable match regardless of the uniform design. With two booking windows and some amazing looking designs, the Made to Order Program allows you to order only what you need and when you need it.

BOOKING PERIOD

1) Order by: February 1ST, 2016 Receive by: June 15TH, 2016

2) Order by: April 1ST, 2016 Receive by: August 15TH, 2016















SIZES SR PANTS: S-M-L-XL

SPECS

THIGH GUARD

Pre-curved PE mold covered with foam.

HIP/KIDNEY

Pre-curved PE mold covered with foam.

BACK PROTECTION

3D molded PE high density foam spine coverage.

CONSTRUCTION

Lightweight 420D nylon with 840D nylon reinforcements, stretchy mesh and adjustable zipper.

ATTACHMENT

Front lacing and belt system.

AVAILABLE COLORS:



The Sher-Wood Made to Order Booking Program was created to offer a large variety of colors in several different products to cater to the unique demands of teams and to find a suitable match regardless of the uniform design. With two booking windows and some amazing looking designs, the Made to Order Program allows you to order only what you need and when you need it.

BOOKING PERIOD

1) Order by: February 1ST, 2016 Receive by: June 15TH, 2016

2) Order by: April 1ST, 2016 Receive by: August 15TH, 2016



BOOKING PROGRAM

BWR



Sw



BWG



WWG

TRUE TOUCH **T90**



TRUE TOUCH **SHOULDER**

PAD

SPECS

PE caps.

CHEST

Molded front protector. BACK

SIZES

SR SHOULDER: S-M-L-XL JR SHOULDER: S - M - L CAPS

COLLARBONE

High density foam inserts.

Molded spinal protector.

BICEPS

Adjustable protector on each arm.

STRAPPING SYSTEM

Completely adjustable for perfect fit.



SHIN PAD

SPECS

KNEE CAP

SHIN CAP

Ventilated anatomical shape.

INSIDE LINER

Removable and ventilated liner.

CALF PROTECTOR

Large calf protector.

STRAPPING SYSTEM

SR SHIN PAD:

SIZES

13"-14"-15"-16"-17"-18" JR SHIN PAD: 11"- 12"

Lightweight molded PE.

Large neoprene strap over calf, crossover middle strap.



M - L

SR ELBOW PAD: S - M - L JR ELBOW PAD:

SPECS CAPS

Lightweight molded cap cover with EVA foam.

ELBOW CRADLE Microfibre base.

FOREARM

Large forearm protector reinforced with polyethylene.

BICEPS

High Density foam with PE inserts.

STRAPPING SYSTEM/AJUSTEMENTS

Crossover elastic middle strap.

TRUE TOUCH T30



TRUE TOUCH

SHOULDER PAD

SIZES

SR SHOULDER: S-M-L-XL JR SHOULDER: S-M-L

YTH SHOULDER: XS - S - M - L

SPECS

CAPS

PE caps covered with foam.

COLLARBONE

Single density foam inserts.

CHEST Molded front sternum protector.

PE and high density foam inserts.

BICEPS

Adjustable protector.

STRAPPING SYSTEM

2 Elastic and velcro straps for your arm and body.





TRUE TOUCH

SHIN PAD

13"-14"-15"-16"-17"-18"

10" - 11"- 12"

SIZES

SR SHIN PAD:

JR SHIN PAD:

YTH SHIN PAD: 7"-8"-9"

SPECS

KNEE CAP Lightweight molded PE.

SHIN CAP

Anatomical shape. INSIDE LINER

Floating knee cradle liner.

CALF PROTECTOR

Large calf protector.

STRAPPING SYSTEM

V-shaped elastic straps.

TRUE TOUCH HARD ELBOW

PAD





TRUE TOUCH

SOFT ELBOW PAD

SIZES

SR ELBOW: M - L - XL JR ELBOW: S-M-L-XL YTH ELBOW: L - XL

CAPS

Lightweight molded cap. SOFT: Foam with PE inserts.

ELBOW CRADLE Soft nylon base.

SPECS

FOREARM (HARD)

Large forearm protector reinforced with polyethylene.

FOREARM (SOFT)

Forearm soft foam protector.

BICEPS

Single Density foam with PE inserts.

STRAPPING SYSTEM

Crossover elastic middle strap.

STRAPPING SYSTEM (SOFT) Two elastic straps for perfect fit.



ELBOW PAD

SIZES

PMP 5030



PMP **SHOULDER** PAD

SPECS

CAPS PE caps covered with foam. CHEST Single density foam. BACK Single density foam. **BICEPS**

STRAPPING SYSTEM
Back and front lacing system.

Single density foam with PE inserts.

SIZES SR SHOULDER: XS-S-M-L-XL-XXL





SPECS KNEE CAP Lightweight molded PE. SHIN CAP Anatomical fit. INSIDE LINER Floating foam knee cradle liner. CALF PROTECTOR Large calf protector. STRAPPING SYSTEM Strapping system consists of two elastic straps.

SR SHIN: 13"-14"-15"-16"-17"-18"

PMP **ELBOW PAD**



Lightweight Foam with PE insert. ELBOW CRADLE Soft nylon base. **FOREARM** Large forearm protector reinforced with PE. Single Density foam with PE inserts.

STRAPPING SYSTEM


Strapping system consists of two crossover

SPECS

CAPS

SIZES SR ELBOW: S - M - L

SIZING CHART



| | | YOUTH / ENFANT | | JUNIOR | | SENIOR | | | | |
|--------|---|-----------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------------------------|-----------------------------------|-----------------------------------|------------------------|--------------------------|
| GLOVES | | 8" / 20CM | 9" / 23CM | 10" / 25CM | 11" / 28CM | 12" / 30CM | 13" / 33CM | 13"+ / 34CM | 14" / 36CM | 14"+ / 37CM |
| | BODY HEIGHT GRANDEUR CORPORELLE | 3'0"- 3'8" 0.91 - 1.12m | 3'4"- 4'0" 1.02 - 1.22m | 3'8"- 4'4 " 1.12 - 1.32m | 4'0"- 4'10 " 1.22 - 1.47m | 4'6" - 5'4" 1.37 - 1.63m | 5'0"- 6'0" 1.52 - 1.83m | 5'0"- 6'0" 1.52 - 1.83m | 5'6"+ 1.68m+ | 6'0''+ 1.83m + |
| | GLOVES SIZE EN420 TAILLE DE GANT EN420 | 6 | 6 | 7 | 7 | 8 | 8 | 8 | 9 | 9 |

| | | YOUTH / ENFANT | | | JUNIOR | | SENIOR | | | | |
|-----------|---------------------------------------|-----------------------------------|--------------------------------------|------------------------------------|-----------------------------------|-------------------------------------|--------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|--------------------------|
| SHIN PADS | | 8" / 20CM | 9" / 23CM | 10" / 25CM | 11" / 28CM | 12" / 30CM | 13" / 33CM | 14" / 36CM | 15" / 38CM | 16" / 41CM | 17" / 43CM |
| | BODY HEIGHT GRANDEUR CORPORELLE | 3'0"- 3'6" 0.91 - 1.07m | 3'4''- 3'10'' 1.02 - 1.17m | 3'8"- 4'2 " 1.12 - 1.27m | 4′0″- 4′6″ 1.22 - 1.37m | 4'4" - 4'10" 1.32 - 1.47m | 4'8'' - 5'2'' 1.42 - 1.57m | 5'0"- 5'6" 1.52 - 1.68m | 5'4"- 5'10" 1.63 - 1.78m | 5'8"- 6'2" 1.73 - 1.88m | 6'2" + 1.88m + |

| | | | SMALL/PETIT | MEDIUM | LARGE | X-LARGE |
|-------|--------|------------------------------------|--------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|
| PADS | YOUTH | BODY HEIGHT GRANDEUR CORPORELLE | 3'0"- 3'6" · 0.91 - 1.07m | 3′4″- 3′10″ · 1.02 - 1.17m | 3'8" - 4'2" · 1.12 - 1.27m | |
| ELBOW | JUNIOR | BODY HEIGHT GRANDEUR CORPORELLE | 3'10'' - 4'4'' · 1.17 - 1.32m | 4'2'' - 4'8'' · 1.27 - 1.42m | 4'6'' - 5'0'' · 1.37 - 1.52m | 4'10'' - 5'4'' · 1.47 - 1.63m |
| | SENIOR | BODY HEIGHT GRANDEUR CORPORELLE | 5'0" - 5'6" · 1.52 - 1.68m | 5'4" - 5'10" · 1.63 - 1.78m | 5'8'' - 6'2'' · 1.73 - 1.88m | 6'2'' + · 1.88m + |

| | | | SMALL/PETIT | MEDIUM | LARGE | X-LARGE |
|-------|---------|------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|
| | VOLITII | BODY HEIGHT GRANDEUR CORPORELLE | 3'0''- 3'6'' · 0.91 - 1.07m | 3'4''- 3'10'' · 1.02 - 1.17m | 3'8"- 4'2" · 1.12 - 1.27m | |
| | YOUTH | WAIST SIZE TOUR DE HANCHE | 19″- 21 ″ · 48 - 53cm | 20"- 22" · 51 - 56cm | 21″- 23 ″ · 53 - 58cm | |
| PANTS | JUNIOR | BODY HEIGHT GRANDEUR CORPORELLE | 3'10''- 4'4'' · 1.17 - 1.32m | 4'2'' - 4'8'' · 1.27 - 1.42m | 4'6'' - 5'0'' · 1.37 - 1.52m | 4'10'' - 5'4'' · 1.47 - 1.63m |
| | | WAIST SIZE TOUR DE HANCHE | 22″- 26 ″ · 56 - 66cm | 24"- 28" · 61 - 71cm | 26″-30 ″ · 66 - 76cm | 28″- 32″ · 71 - 81cm |
| | OFNIOD | BODY HEIGHT GRANDEUR CORPORELLE | 5'0''- 5'6'' · 1.52 - 1.68m | 5'4" - 5'10" · 1.63 - 1.78m | 5'8'' - 6'2'' · 1.73 - 1.88m | 6'2''+ · 1.88m+ |
| | SENIOR | WAIST SIZE TOUR DE HANCHE | 30″- 34″ · 76 - 86cm | 32″- 36″ · 81 - 91cm | 34″- 38 ″ · 86 - 97cm | 38″+ · 97cm+ |

| | | | SMALL/PETIT | MEDIUM | LARGE | X-LARGE |
|---------------|--------|------------------------------------|--------------------------------------|--------------------------------------|-------------------------------------|--------------------------------------|
| SHOULDER PADS | YOUTH | BODY HEIGHT GRANDEUR CORPORELLE | 3'0''- 3'6'' · 0.91 - 1.07m | 3'4"- 3'10" · 1.02 - 1.17m | 3'8'' - 4'2'' · 1.12 - 1.27m | |
| | | CHEST SIZE TOUR DU TORSE | 18″- 22 ″ · 46 - 56cm | 20"- 24" · 51 - 61cm | 22″- 26 ″ · 56 - 66cm | |
| | JUNIOR | BODY HEIGHT GRANDEUR CORPORELLE | 3'10'' - 4'4'' · 1.17 - 1.32m | 4'2'' - 4'8'' · 1.27 - 1.42m | 4'6'' - 5'0'' · 1.37 - 1.52m | 4'10'' - 5'4'' · 1.47 - 1.63m |
| | | CHEST SIZE TOUR DU TORSE | 24"- 28" · 61 - 71cm | 26″- 30″ · 66 - 76cm | 28″- 32″ · 71 - 81cm | 30″- 34″ · 76 - 86cm |
| | SENIOR | BODY HEIGHT GRANDEUR CORPORELLE | 5'0'' - 5'6'' · 1.52 - 1.68m | 5'4'' - 5'10'' · 1.63 - 1.78m | 5'8'' - 6'2'' · 1.73 - 1.88m | 6'2'' + · 1.88m + |
| | | CHEST SIZE TOUR DU TORSE | 32″- 38″ · 81 - 97cm | 34″-40 ″ · 86 - 102cm | 36"- 42" · 91 - 107cm | 42″+ · 107cm + |



PACK IT UP LIKE A PRO. WANT TO CARRY YOUR GEAR LIKE THE PROS DO? CHECK OUT OUR NEW PRO CARRY BAG. COMPLETELY MADE IN CANADA. CUSTOMIZE YOUR BAG ANY WAY YOU WANT. WITH AN INFINITE AMOUNT OF COLOR COMBINATIONS. BUILT EXACTLY TO YOUR SPECIFICATIONS.

- ADD YOUR STORE OR SPONSOR LOGO (1 COLOR) IN THE UPPER RIGHT CORNER FREE OF CHARGE
- COMPLEMENTARY ID WINDOW FOR UNIQUE PERSONALISATION
- INSIDE POCKET PERFECT TO STORE YOUR ACCESSORIES SUCH AS TAPE, LACES, SHOWER SANDALS ETC
- CUSTOM TWO COLOR STRAPPING OPTIONS

SIZES

COACH: 24" X 12" X 14" PEE-WEE: 30" X 14" X 16" PLAYER: 31" X 15" X 20" XL PRO: 34" X 18" X 20" GOALIE: 40" X 20" X 20"

12 PVC COLORS AVAILABLE. 17 WEBBING COLORS AVAILABLE

MINIMUM:

12 PER DESIGN/COLOR (ANY SIZES)

POSSIBLE ADD-ONS:

CARGO MESH POCKET OUTSIDE WET POCKET PERSONALIZED PLAYER NUMBERS



3 TOP DESIGNS AVAILABLE:























PRO CARRY

PEE-WEE: 30" X 16" X 14" PLAYER: 33" X 20" X 15"

GOALIE: 40" X 20" X 20"

COLORS: BLACK/HERITAGE NAVY/HERITAGE BLK/RED/HERITAGE

SPECS

Focus on traditional hockey values with heritage accent colors and pro spec dimensions.

PERSONALIZED

Customizable ID window to give you that pro look.

Waterproof and impact-resistant shell that's up to the challenge of any road trip and travel conditions.





SHER-WOOD HOF

DUFFLE

SIZES DUFFLE:

20" X 12" X 10"

COLORS:

BLACK/HERITAGE NAVY/HERITAGE BLK/RED/HERITAGE

SPECS

Focus on traditional hockey values with heritage accent colors and pro spec dimensions.

PERSONALIZED

Customizable ID window to give you that pro look. WATERPROOF Waterproof and impact-resistant shell that's up to the

challenge of any road trip and travel conditions.









GS GOALIE

650

SIZES | SPECS SR:

40" X 21" X 20" JR: 35" X 20" X 18"

COLORS: BLACK

MADE OF 1680D NYLON Mesh inside top panel.

Reinforced bottom.
Durable 3 wheel system.



TEAM

NYLON BAG

SIZES | SPECS

38" X 18" X 18"

COLORS:

BLACK

MADE OF 600D NYLON Strong rubberized bottom. Ideal for team logos.



ACCESSORIES LAUNDRY

SPECS

MADE OF NYLON MESH

Durable zipper. Ideal for wet garments.





MADE IN CANADA **DIMENSIONS:** 31" X 15" X 20" PRO LOCKER ROOM SPECIFICATIONS DURABLE WATERPROOF SPORTS TARP













NHL and the NHL Shield are registered trademarks of the National Hockey League. NHL and NHL team marks are the property of the NHL and its teams.

© NHL 2015. All Rights Reserved

0